



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.04.2023 Version number 9 revised on: 02.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

. 1.1 Product identifier

. Trade name: ceramill® Titan

. Article number:

 ceramill® Titan 98x10 mm
 REF 768497

 ceramill® Titan 98x12 mm
 REF 768498

 ceramill® Titan 98x13,5 mm
 REF 768499

 ceramill® Titan 98x16 mm
 REF 768500

 ceramill® Titan 98x18 mm
 REF 768501

 ceramill® Titan 98x20 mm
 REF 768502

. 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- . Application of the substance / the mixture For the production of dental prostheses in the dental laboratory
- . 1.3 Details of the supplier of the safety data sheet
- . Manufacturer/Supplier:

Eisenbacher Dentalwaren ED GmbH Dr. - Konrad - Wiegand - Straße 9 63939 Wörth / Main, Germany Tel.: 0049 9372 / 94 04 - 0 www.eisenbacher.de

Distributed by:

Amann Girrbach AG Gewerbestraße 10 6841 Mäder Österreich Tel.: +43 59 – 301

austria@amanngirrbach.com

Information:

product management tel.: +49 93 72 - 94 04 - 0

or by mail: info@eisenbacher.de

. 1.4 Emergency telephone number:

Tel.: +49 9372 / 9404 - 0, Monday to Friday 8.30 am to 3.15 pm MEZ in German and English language Please also contact the national emergency numbers

SECTION 2: Hazards identification

- . 2.1 Classification of the substance or mixture
- . Classification according to Regulation (EC) No 1272/2008

The product is not to be classified according to the GB CLP regulation.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008 Void
- . Hazard pictograms Void
- . Signal word Void
- . Hazard statements Void

SECTION 3: Composition/information on ingredients

- . 3.2 Chemical characterisation: Mixtures
- . Description: Titanium alloy
- . Dangerous components:

EINECS: 231-072-3

CAS: 7429-90-5 aluminium powder (stabilised)

Flam. Sol. 1, H228; Water-react. 2, H261

Index number: 013-002-00-1

. Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

≥2.5-<10%





Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.04.2023 Version number 9 revised on: 02.06.2025

Trade name: ceramill® Titan

(Contd. of page 1)

SECTION 4: First aid measures

- . 4.1 Description of first aid measures
- . General information No special measures required.
- . After inhalation: Supply fresh air; consult doctor in case of symptoms.
- . After skin contact: Wash with water and soap.
- . After eye contact: Rinse opened eye for 15 minutes under running water. Then consult doctor.
- . After swallowing:

Rinse out mouth and then drink plenty of water (approx. 500 ml).

In case of persistent symptoms consult doctor.

- . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- . 5.1 Extinguishing media
- Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with foam.

ABC powder

Sand

- . For safety reasons unsuitable extinguishing agents Water.
- . 5.2 Special hazards arising from the substance or mixture

Fire can cause release of:

Metal vapor and metal oxides as fumes.

- . 5.3 Advice for firefighters
- . Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

. 6.1 Personal precautions, protective equipment and emergency procedures

Avoid causing dust.

Wear protective clothing.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:** Collect mechanically.
- 6.4 Reference to other sections

See section 7 for information on safe handling

See section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

. 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Ensure good ventilation/exhaustion at the workplace.

Extractors are required on all machines used for thermal processing or metal removal processes.

. Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)



Page 3/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.04.2023 Version number 9 revised on: 02.06.2025

Trade name: ceramill® Titan

(Contd. of page 2)

- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage
- . Requirements to be met by storerooms and containers: Store only in the original container.
- . Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers.
- . 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- . 8.1 Control parameters
- . Components with critical values that require monitoring at the workplace:

7429-90-5 aluminium powder (stabilised)

WEL (Great Britain) Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

- . Ingredients with biological limit values:
- CAS No. Designation of material % Type Value Unit

General dust exposure limit, German TRGS 900 (2015) 1,25 mg/m3

measured as alveolic part

- . Additional information: The lists that were valid during compilation were used as a basis.
- . 8.2 Exposure controls
- . Personal protective equipment
- . General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

. Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Short term filter device: ABEK-filter

Filter P3.

Protection of hands:

Protective gloves:

In case of spray contact at least protection index 2 recommended, according to more than 30 min. penetration time (EN 374).

Layer thickness of gloves at least: 0.4 mm

In case of prolonged and intensive contact protection index 6 recommended, according to more than 480 min.

penetration time (EN 374).

Layer thickness of gloves at least: 0.7 mm

. Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Natural rubber, NR

Chloroprene rubber, CR

Neoprene gloves

. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection: Safety glasses (DIN 58211, EN 166)

(Contd. on page 4)





Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.04.2023 Version number 9 revised on: 02.06.2025

Trade name: ceramill® Titan

(Contd. of page 3)

. Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

. 9.1 Information on basic physical and chemical properties

. General Information

. Appearance:

Form:
Colour:
Smell:
Odour threshold:
Odour threshold:

Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
Odour threshold:
O

. Change in condition

Melting point/freezing point: 1,650-1,700 °C Initial boiling point and boiling range: not applicable

Flash point: Not applicable not applicable

Inflammability (solid, gaseous) not applicable
 Auto-ignition temperature: not applicable
 Decomposition temperature: not determined

. **Explosive properties:** Product is not explosive.

. Critical values for explosion:

Lower: not applicable

. Dust explosion class:

Oxidising properties not applicable

. Steam pressure: Not applicable not applicable

. Density at 20 °C 4.4 g/cm³
. Evaporation rate not applicable

. Solubility in / Miscibility with

Water: Unsoluble

. Partition coefficient: n-octanol/water: not applicable

. Viscosity:

dynamic:Not applicable.
not applicable

kinematic: Not applicable.

. Solvent content:

Solids content: 100.0 %

. **9.2 Other information** No further relevant information available.

(Contd. on page 5)



Page 5/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.04.2023 Version number 9 revised on: 02.06.2025

Trade name: ceramill® Titan

(Contd. of page 4)

SECTION 10: Stability and reactivity

- . 10.1 Reactivity No hazardous reactions when stored and handled according to instructions.
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- . 10.3 Possibility of hazardous reactions No dangerous reactions known
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: Formation of metal vapor when melting

SECTION 11: Toxicological information

- . 11.1 Information on toxicological effects
- . Acute toxicity Based on available data, the classification criteria are not met.
- . Primary irritant effect:
- . Skin corrosion/irritation Based on available data, the classification criteria are not met.
- . Serious eye damage/irritation Moderate irritation
- . Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- . Additional toxicological information:
- Inhalation of dust may cause irritation of the respiratory tract.

Irritation of the eyes and skin is possible from direct contact with the dust.

- . Repeated dose toxicity No further relevant information available.
- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . Other information: Inorganic salts are basicly not biodegradable.
- . 12.3 Bioaccumulative potential Does not accumulate in organisms
- . 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- . Other information:

No COD, no BOD, no AOX

No VOC (0%) according to EC-directive 1999/13/EC

- . Additional ecological information:
- . General notes:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

- . 12.5 Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.

(Contd. on page 6)



Page 6/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.04.2023 Version number 9 revised on: 02.06.2025

Trade name: ceramill® Titan

(Contd. of page 5)

. 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated in adherence to official regulations.

- . Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

Dispose of packaging according to regulations on the disposal of packagings.

SECTION 14: Transport information

. 14.1 UN-Number

. ADR/RID/ADN, IMDG, IATA Void

. 14.2 UN proper shipping name

. ADR/RID/ADN, IMDG, IATA Void

. 14.3 Transport hazard class(es)

. ADR/RID/ADN, IMDG, IATA

. Class Void

. 14.4 Packing group

. ADR/RID/ADN, IMDG, IATA Void

. 14.5 Environmental hazards: Not applicable.
. 14.6 Special precautions for user Not applicable.

. 14.7 Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

. **Transport/Additional information:**Not dangerous according to the above regulations.

. UN "Model Regulation": Void

SECTION 15: Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Directive 2012/18/EU
- . Named dangerous substances ANNEX I None of the ingredients is listed.
- . 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H228 Flammable solid.

H261 In contact with water releases flammable gases.

- . Department issuing data specification sheet: AWETA
- Contact:

sales manager, AWETA info@srl-dental.de

(Contd. on page 7)



Page 7/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.04.2023 Version number 9 revised on: 02.06.2025

Trade name: ceramill® Titan

(Contd. of page 6)

. Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Sol. 1: Flammable solids – Category 1

Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2

. Sources: source ECHA: European Chemicals Agency, http://echa.europa.eu/

. * Data compared to the previous version altered.

GB